



DIRECTORATE OF PHYSICAL EDUCATION & SPORTS
UNIVERSITY OF KASHMIR
(NAAC ACCREDITED GRADE "A")
HAZRATBAL SRINAGAR, KASHMIR- 190006
Email:directorsportsku@uok.edu.in

No.F(Double-bid-tender)DPES/KU/2018
Dated: 06-03-2018

Tender Notice

Sealed tenders in Double bid system (Technical Bid & Financial Bid) is invited from bonafide, resourceful and eligible manufacturers/exclusive distributors for supply of Laboratory equipments for "Physical Education & Sports Science Lab".

Part – I (Technical Bid) of the tender should contain technical details and commercial terms and conditions and Part-II (Price Bid) should indicate group-wise price as mentioned in the Technical Bid where applicable. The Technical Bid and Price bid are to be submitted in two separately sealed envelopes distinctly marked accordingly and both to be put inside another envelope, which should be sealed and super scribed with tender notice no. and due date. The bidders may submit bids duly signed in their own letterheads.

Complete tenders bids should reach the office of the Directorate of Physical Education & Sports, University of Kashmir, Hazratbal, Srinagar -190006 on or before scheduled date & time specified below.

Tender Notice No.	No.F(Double-bid-tender)DPES/KU/2018
Last date and time of submitting tender	13 th March 2018 at 2.00 P.M.
Date and time of opening tender	13 th March 2018 at 3.00 P.M
Place of opening tender	Office of the Directorate of Physical Education & Sports
Contact	<u>Email:directorsportsku@uok.edu.in</u>

The technical bids will be opened first to evaluate the technical specifications of the equipment thereafter, the Price bids of only technically qualified bidders will be opened.

Technical Bid Evaluation: The Technical Bids will be evaluated in the presence of the representatives of intending bidders who will be able to clarify technical aspects of their bids, if any, required by the Technical Evaluation Team. The date of the technical bid evaluation will be intimated to the bidders at their email addresses.

Opening of price-bid: The Price Bids of the bidders qualifying the technical bid will only be opened, the date of which will be intimated to the short-listed bidders at their email addresses. The rest of the bids will be rejected.

The detail equipments with specification are available in University website.

Please note that Directorate of Physical Education & Sports, University of Kashmir will not provide any accommodation or expenses to any of the bidders for attending opening of technical bid.

1. TECHNICAL BID:

The Technical Bid should contain technical specifications and kept in a separate envelope duly super scribed as "Technical Bid" on the outer side of the envelope as detailed above.

The Technical Specifications acceptable for the “Physical Education & Sports Sciences Lab Equipments” are as follows:

S. No.	Equipments	Specifications
1.	Body fat Analyzer/ BIA 101 ANNIVERSARY	BIA 101 ANNIVERSARY Dimensions: 22 x 14 x 4,3 cm Weight: 500g Resistance Range: 0-999 Ohm Reactance Range: 0-200 Ohm Power supply: Li-Ion battery 7,2 V 800 mAh Autonomy: 8 hours Max recharge time: 6 hours Output current: 200 µA@ 50 kHz 1 % MD Directive 93/42/EEC: Class IIA - BF Medical Device (CE0051)
2.	Skin fold clipper/ Harpenden Skinfold Caliper	0-80 mm Harpenden Skinfold Caliper
3.	Hand Dynamometer	Camry 200 Lbs / 90 Kgs Digital Hand Dynamometer Grip Strength Measurement Meter Auto Capturing Hand Grip Power
4.	Mechanical round dial weighing scale	Mechanical round dial weighing scale M308300, CP 150 kg, GR 1,000 g, UT kg, DM 320 x 360 m
5.	BASELINE SIT AND REACH BOX TRUNK FLEXIBILITY TESTER	Dimensions: 30" x 4" x 13", Weight: 16 lbs, Made of sturdy powder-coated metal with a built-in foot plate and a maximum stretch indicator that keeps results visible until reset
6.	Wall-Mounted Vertical Jump Tester	Wall-Mounted Vertical Jump Tester, solid steel board, 48" retrieval rod, and 2 magnets, 50" H x 6" W
7.	30in Adjustable Power-Plyo Box	Power Systems , Square tubular steel construction. Fully welded frame. Top is reinforced 3/4" plywood with nonslip surface. Assembly required. Color: 30" box: Gray/Black. Dimensions: 30" L x 24 1/2" W.
8.	Bower Speed Trap I Timer	Short-distance timing—accurate to 1/100 of a second. Wired system times distances up to 50 yards. Fully automatic, hands-free usage for self-timing. Timing begins when pressure is released from starting pad. Single sensor beam stops the clock at the finish line. Portable for use indoors or outdoors. Unit includes timer, start pad, 50 yards of wire, sensor, stopwatch, tripod, battery, and carry case. 3 lbs.
9.	Digital Metronome DM51	4 levels of adjustable volume. Tempo ranges from 30 to 250 times/min. with clear sound and flashing light. Clips onto clothing, a clipboard, or any other object. Instructions included. 2 1/4" L x 1 1/2" W x 1" H
10.	Digital Wrist Heart and Blood Pressure Monitor	Measures systolic pressure, diastolic pressure and pulse quickly and accurately. Smart Logic™ Technology insures correct inflation and Average mode will calculate the average of 3 separate readings for more meaningful results

11.	Pro Agility Ladder	Made from 20"wide flat plastic rungs & nylon tape border. Distance between rungs is fully adjustable. Comes with carry bag. Size 27' x 20" Wide
12.	Alpha Touch Spirometer	Full Feature Desktop Spirometer with integral printer and color touch screen. Features include 50 test parameters with % predicted, diagnostic interpretation, lung age, choice of predicted normals, child incentives, post bronchodilator comparison and printed report with graphs. Spirotrac PC software (optional)
13.	Gulic Measuring Tape	To measure girth and surface of anthropometry
14.	Casio Handheld Stopwatch - HS-80TW-1DF (S055)	Casio Handheld Stopwatch - HS-80TW-1DF (S055)
15.	Depth Perception Tester	Movement of rods with remote box switches. Provisions of 2 speeds 25mm/sec & 50mm/sec. Distance between rods 30mm left or right from movable rod. Range of movable rods ± 180 mm. Manual scale rating ± 200 mm Length of remote switch wire 1.5 mtr. CFL light 8 watt in the box. Power 220v AC.
16.	Polar FT7 Heart Rate Monitor	Continuous, accurate heart rate provides clear workout guidance Energy pointer feature tells you if the main effect of your training is fitness improvement or fat burning Smart calorie feature uses your personal data to provide accurate calories burned Includes heart rate chest strap made of soft fabric material that adapts to your body shape; requires and includes chest strap for accurate heart rate Connects with compatible gym equipment using gym link and water resistant (30m)
17.	Bassin Anticipation Timer	10 Lights at 1" distance on runway. Light's velocity range 25,50,75,100,150,175.km/ hr. LCD display. Hand held lights & switch unit.
18.	Audio Visual Reaction Timer	Medisystem Audio Visual Reaction Timer
19.	ProComp Infiniti - 8 Channel Biofeedback & Neurofeedback System v6.0	The ProComp Infiniti is an 8 channel, biofeedback and neurofeedback system with the power needed for real-time data acquisition in any clinical or educational setting.
20.	Desktop Computer	Core i7 Processor, Memory 4 GB RAM RECOMMENDED 8 GB RAM, Hard Drive: 500 GB
21.	Laptop Computer	Core i7 Processor, Memory 4 GB RAM RECOMMENDED 8 GB RAM, Hard Drive: 500 GB
22.	STAG LANDING MAT HIGH JUMP	STAG LANDING MAT HIGH JUMP Made of High Density Polyurethane Foam in criss cross construction for safe landing covered with 1000 denier polyster fabric covered with poly vinyl chloride. Size - 5 mtr x 3 mtr x 60 cms STAG HIGH JUMP ST AND ALLUMINIUM With Strong Steel Base 38x75mm with Alluminium bar in size 38x60mm
23.	STAG HIGH JUMP ST	STAG HIGH JUMP ST AND ALLUMINIUM With Strong Steel Base 38x75mm with Alluminium bar in size 38x60mm
24.	STAG SPRING BOARD	STAG SPRING BOARD STAG spring board is made of laminated plywood very strong steel frame with 5 x heavy duty coil springs upholstered with high quality carpet. Size - 1200 x 600 x 220 mm.

25.	Goniometers	Dimensions/Length 11" Width on Dial: 5.5" Linear Measurements: Inches and Centimeters Transparent Scale: 0° to 180° in opposite directions Large Dial: 1° Increments Inclinometer - Small Dial In Center: 5° Increments Material: Clear Plexiglas
26.	Measuring Tape	Measure even any curve surface, circumferences
27.	Lawn Mower	Engine type; Four Stroke OVH Engine more over unmatched fuel efficiency Full tank Capacity 1.5ltr petrol Self propelled Engine- less efforts Grass Catcher bag Cutting width 21inches /530mm Cutting high range (in mm) 11 Stages(16-76) Better economy –excellent performance
28.	Cycle	Preffisio Aluminum road bike with claris, taigra, 105 Bike with claris 8 speed Shimano claris 2018 with internal cables
29.	Software for Biomechanical Analysis	Silicon Coach pro 7.
30.	Video Camera	S 16 Legeria

User List: The supplier should provide a list of current users (with contact no, Email address etc) for the quoted item in India.

Service facility: Trained technicians should install the instrument and ensure it is operating correctly and within specifications. User training at site should also be provided. Supplier should mention their details of service setup that are responsible for after sales support.

PRICE BID: The financial bid indicating (item-wise) price for the item(s) mentioned in the technical bid should be kept in a separate sealed envelope duly super scribed as "PRICE BID" on the outer cover of the envelope as already detailed above. The price bids of only technically qualified bidders will be opened and they will be intimated the date and time of opening at their email id-s. Rest of the bids will stand rejected.

A demand draft of Rs.1000/- in favour of Director, Directorate of Physical Education & Sports, University of Kashmir, Hazratbal 190006 is to be furnished by the bidder as a cost of tender document fee.

BID SECURITY:

1. The financial bid should be super scribed as "PRICE BID" on the outer cover of the envelope

2. Bid Security (EMD): An Account Payee Demand Draft of Rs. 20,000/- in the name of Director, Directorate of Physical Education and Sports, University of Kashmir, Hazaratbal, Srinagar 190006 is to be furnished by the bidders, as Bid Security money or Earnest Money Deposit (EMD).
3. The Demand Draft for the Bid-Security money should have at least 45(forty five) days validity period after the opening of the Bids.
4. In case of non-award of the work the Bid Security money would be returned to the unsuccessful Bidders.

PERFORMANCE SECURITY: An Account Payee Demand Draft of an amount of 10% of the order value in the name of "Directorate of Physical Education and Sports, University of Kashmir, Hazaratbal, Srinagar" is to be furnished by the successful bidder as Performance security. Performance security money should remain valid for a period of 60 days beyond the date of completion of all contractual obligations of the supplier including warranty obligations. Bid security money will be refunded to successful bidder on receipt of the Performance security money.

GENERAL INSTRUCTIONS:

1. Incomplete & conditional tenders and tenders received after the date will be summarily rejected without assigning any reasons thereof.
2. At any time prior to the bid due date, DPESUOK may, for any reason, shether at its own initiative or in response to a clarification requested by a prospective bidder during pre-bid meeting, modify the bidding documents. The amendment(s) will be notified on the University website. Prospective bidders are advised to occasionally visit the website (<http://www.kashmiruniversity.net>) for any amendment.
3. Payment: 100% against delivery and successful installation subject to submission of performance guarantee.
4. Warranty: Minimum 3 years.
5. Installation/Demonstration/Application Training at site: Free of cost by the supplier.
6. Service facility: Supplier should mention their details of service setup and Manpower in Srinagar who are responsible for after sales support. Response time should be within 24 hours.
7. Validity of tender: Tender submitted shall remain valid at least for three months from the date of opening the tender. Validity beyond four months from the date of opening of the tender three months from the date of opening of the tender shall be by mutual consent.
8. The tender should accompany a compliance chart.
9. The rate should be inclusive of all taxes, transportation etc. Nothing extra will be paid in addition to the quoted rate.
10. The model number, make, and a printed literature of the product shall submit positively.
11. Proposed delivery schedule should be mentioned clearly.
12. Manufacturers/exclusive distributors/vendors should have history of supplying this type of instrument to this or other Scientific Organization.

13. Authorized Dealership Certificate is must in case of principal manufacturing company is not quoting directly.
14. Guarantee certificate, users manuals etc. are to be handed over to the user after successful commissioning of the system.
15. In the event of date being declared a closed holiday for purchaser's office, the due date for submission of bids and opening of technical bids will be the following working day at the appointed time.
16. In case of any dispute, the decision of the Institute authority shall be final and binding on the bidders.
17. For any clarification regarding technical specifications etc. please send your email queries to directorsportsku@uok.edu.in
18. The University reserves the right to reject any or all of the tenders received without assigning any reason thereof.

Sd/-
Director
Physical Education & Sports